

ARENA-POINTS

Sleek frameless glass balustrades with a floating glass aesthetic.



☎ 0800 333 777
✉ info@unex.co.nz
🌐 www.unex.co.nz

UNEX
ARCHITECTURAL BARRIERS

ARENA-POINTS





MINIMALIST, FLOATING GLASS LOOK


The Arena Points Frameless Glass Balustrade offers a sophisticated solution, that blends safety with minimal obstruction to views. Engineered for architectural elegance, it features sleek 50mm circular standoffs that securely side-mount glass panels to your deck or balcony, creating a floating look that maximises transparency and light.

Ideal for residential and commercial applications, Arena Points is used with 12mm or 15mm toughened safety glass, ensuring compliance with the NZ Building Code. These fixings are stocked in polished or brushed stainless steel, matt black powdercoated, and/ or can also be powder-coated to suit your chosen colour scheme. Various top and side rail options are also available.


General Fixing Arrangement



Timber Fixing Detail



Concrete Fixing Detail



Steel Fixing Detail

TECHNICAL RESOURCES, INCLUDING CAD, BIM, SPECIFICATIONS, AND PS1'S, ARE AVAILABLE ON THE UNEX WEBSITE.


SUPERIOR ADJUSTMENT CAPABILITY

Arena Points feature a cleverly engineered adjustment system that delivers enhanced flexibility for precise alignment and positioning. The rear slotted spacer allows for both horizontal and vertical repositioning, simplifying installation and reducing risk of costly glass replacements.

In addition, the innovative two-piece threaded spacer system enables accurate packing to accommodate uneven substrates, minimising installation time and eliminating the need for unsightly packers. With these features, Arena Points is truly a versatile option enabling superior adjustment in all directions.

Key features include:

- ✓ Slotted rear spacer allows easy on-site adjustment in all directions to align the standoff with existing holes in the glass. Simply loosen the nut, reposition as required, and retighten.
- ✓ Threaded two-piece spacer enables accurate levelling on uneven substrates.
- ✓ Accepts standard coach screws, eliminating the need for costly lag screws.



AVAILABLE IN A RANGE OF FINISHES

POLISHED STAINLESS STEEL



Polished stainless steel arena points, mirror-finished for appearance and exterior corrosion resistance.
Product code: AJS050DT.PF

SATIN STAINLESS STEEL



Attractive matt finish stainless steel Arena-Points, for interior applications (exterior use not recommended).
Product code: AJS050DT.SF

POWDERCOATED



Powdercoated Arena-Points. Can be used to colour match the building colour scheme, or to blend in with screen printing on the glass. (Arctic White Arena-Points illustrated above with a white strip screen printed on the glass).
Product code: AJS050DT.P1

MATT BLACK



Stainless steel Arena Points in a modern matt black finish, stocked for convenience.
Product code: AJS050DT.BK


THE BENEFITS OF USING ARENA-POINTS

- ✓ SLOTTED FIXING DETAIL ALLOWS ADDITIONAL GLAZING TOLERANCE FOR EASIER ON-SITE INSTALLATION
- ✓ 2205 DUPLEX STAINLESS STEEL CONSTRUCTION DELIVERS STRENGTH AND SUPERIOR CORROSION RESISTANCE
- ✓ DOWNLOADABLE PRE-ENGINEERED PRODUCER STATEMENTS (PS1'S)
- ✓ INSTALLATION-FOCUSED DESIGN WITH UNIQUE FEATURES THAT SIMPLIFY ALIGNMENT AND FITTING.
- ✓ STOCKED IN POLISHED, SATIN AND MATT BLACK, WITH POWDERCOATING AVAILABLE IN ANY P1 DULUX POWDERCOAT COLOUR
- ✓ SUPERIOR ADJUSTMENT CAPABILITY, WITH A REAR SLOT ALLOWING PRECISE ON-SITE ADJUSTMENT.
- ✓ FULL BACK UP SUPPORT FROM UNEX SYSTEMS - NZ'S LEADING BALUSTRADE SPECIALIST FOR OVER 40 YEARS!
- ✓ INSTALLED NATIONWIDE BY UNEX AUTHORISED FABRICATORS
- ✓ SITE SPECIFIC SPECIFICATIONS AVAILABLE UPON REQUEST
- ✓ ATTACHMENT TO TIMBER, CONCRETE AND STEEL SUBSTRATES
- ✓ COMPLIANCE WITH NZ BUILDING CODE



Q25 Slim Stainless Steel Handrail

- 25 x 21mm
- To suit 12mm glass
- Finishes: Polished (ARSQ25-58.PF), Black (ARSQ25-58.BK)



Q40 Stainless Steel Handrail

- 40 x 30mm
- To suit 12 - 17.5mm glass
- Finishes: Polished (ARSQ40-58.PF), Satin (ARSQ40-58.SF)

